Printing date 16.09.2013

Revision: 16.09.2013

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: SafeR Evac System liquid

- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- \cdot Application of the substance / the preparation Disinfectant

 \cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier: DE Healthcare Ltd Unit 9, Kingsthorpe Business Centre, Studland Road, Kingsthorpe, Northhampton NN2 6NE

UK 01634878750 Emergency : Chemtrec US (800) 424-9300 International: 001 703-527-3887 Fax: +44 (0) 1634 87 87 51

email: info@dehpbrand.com

 Further information obtainable from: Corporate Brand Development International
 Emergency telephone number: info@dehpbrand.com Chemtrec US (800) 424-9300

2 Hazards identification

• Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· <u>Classification according to Directive 67/548/EEC or Directive 1999/45/EC</u>

Xi; Irritant 🗙

R36/38: Irritating to eyes and skin.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



· Signal word Warning

(Contd. on page 2)

Printing date 16.09.2013

Revision: 16.09.2013

Trade name: SafeR Evac System liquid

	ining components of labelling:
N,N-Dimethyl-N	N-Dioctylammoniumchlorid
Hazard stateme	ents
H315 Causes sk	xin irritation.
H319 Causes se	erious eye irritation.
Precautionary s	
P280	Wear protective gloves / eye protection.
P264	Wash thoroughly after handling.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
<i>P337+P313</i>	<i>If eye irritation persists: Get medical advice/attention.</i>
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
Other hazards	

• *PBT*: Not applicable. • *vPvB*: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dangerous components.		
CAS: 5538-94-3	N,N-Dimethyl-N-Dioctylammoniumchlorid	2.5-10%
	🛃 C R34; 🗙 Xn R22	
	🚸 Flam. Liq. 3, H226; 🚸 Skin Corr. 1B, H314; 🚸 Acute Tox. 4, H302	
CAS: 64-02-8	tetrasodium ethylenediaminetetraacetate	<i>≤</i> 2.5%
EINECS: 200-573-9	🗙 Xn R22; 🗙 Xi R41	
	📀 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	
. Additional informat	tion. For the wording of the listed risk phrases refer to section 16	

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· Description of first aid measures

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Firefighting measures*

• Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 16.09.2013

Revision: 16.09.2013

(Contd. of page 2)

Trade name: SafeR Evac System liquid

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

• Environmental precautions:

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

• Handling:

- Precautions for safe handling
 Store in cool, dry place in tightly closed receptacles.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- *Specific end use(s)* No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-58-3 potassium hydroxide

WEL Short-term value: 2 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• *Respiratory protection:*

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 4)

GB

Printing date 16.09.2013

Revision: 16.09.2013

(Contd. of page 3)

Trade name: SafeR Evac System liquid

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• As protection from splashes gloves made of the following materials are suitable: Natural rubber, NR • Eye protection:



*

Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value at 20 °C:	9	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C	
Flash point:	> 100 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	1 g/cm ³	

Printing date 16.09.2013

Revision: 16.09.2013

Trade name: SafeR Evac System liquid

		(Contd. of page
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/w	ater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Water:	85.0 %	
Solids content:	8.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

5538-94-3 N,N-Dimethyl-N-Dioctylammoniumchlorid

Oral LD50 1025 mg/kg (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 6)

Printing date 16.09.2013

Revision: 16.09.2013

Trade name: SafeR Evac System liquid

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

07 00 00 WASTES FROM ORGANIC CHEMICAL PROCESSES

07 06 00 wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

07 06 99 wastes not otherwise specified

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

• *Recommended cleansing agents: Water, if necessary together with cleansing agents.*

UN-Number	17 - 1
ADR	Void
UN proper shipping name	
ADR	Void
Transport hazard class(es)	
ADR	
Class	Void
Packing group	
ADR	Void
Environmental hazards:	
Marine pollutant:	No
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
ADR	
Limited quantities (LQ)	-
Transport category	-

(Contd. on page 7)

(Contd. of page 5)

Printing date 16.09.2013

Revision: 16.09.2013

Trade name: SafeR Evac System liquid

(Contd. of page 6)

15 Regulatory in	nformation	
Labelling acco	and environmental regulations/legislation specific for the substance or mixture rding to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. ams	
GHS07		
• Signal word Wa	arning	
	ining components of labelling: N-Dioctylammoniumchlorid	
· Hazard stateme		
H315 Causes sk	kin irritation.	
H319 Causes se	erious eye irritation.	
• Precautionary :	statements	
P280	Wear protective gloves / eye protection.	
P264	Wash thoroughly after handling.	
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
• Chemical safet	· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

- R10 Flammable.
- R22 Harmful if swallowed.

R34 Causes burns.

R41 Risk of serious damage to eyes.

```
• Abbreviations and acronyms:
```

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

* Data compared to the previous version altered.

ЗB