Printing date 30.09.2013 Revision: 23.09.2013

I Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: SafeR Instrument lemon

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation Disinfectants for instruments

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

DE Healthcare Ltd

Unit 9, Kingsthorpe Business Centre,

Studland Road, Kingsthorpe,

Northhampton NN2 6NE

UK 01634878750

Emergency: Chemtrec US (800) 424-9300

International: 001 703-527-3887 Fax: +44 (0) 1634 87 87 51

email: info@dehpbrand.com

· Further information obtainable from: Corporate Brand Development International

· Emergency telephone number:

info@dehpbrand.com

Chemtrec US (800) 424-9300

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36/38: Irritating to eyes and skin.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

(Contd. on page 2)

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

(Contd. of page 1)

Didecylmethylpolyoxyethylammoniumpropionat

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 110-63-4 EINECS: 203-786-5	butane-1,4-diol Xn R22	2.5-10%
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol Xi R36	2.5-10%
CAS: 2372-82-9 EINECS: 219-145-8	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine C R35; Xn R22; N R50 Skin Corr. 1A, H314; ♦ Aquatic Acute 1, H400; ♦ Acute Tox. 4, H302	2.5-10%
CAS: 94667-33-1	Didecylmethylpolyoxyethylammoniumpropionat C R34; Xn R22; N R50 Skin Corr. 1B, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302	2.5-10%

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR

· Eye protection:



Tightly sealed goggles

y Ph		remical	117/14	<i>1 1/1</i> N
		[4 <i>9][1</i>]449[4]		// -7 0/

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colour: Clear

· Odour: Characteristic

• **pH-value at 20 °C:** <10

· Change in condition

Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** 100 °C

Flash point: > 100 °C
 Self-igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Vapour pressure at 20 °C: 23 hPa

• **Density at 20 °C:** 1.05 g/cm³

(Contd. on page 5)

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

Solubility in / Miscibility with water:

Solvent content:
Organic solvents:
Water:
81.6 %
Other information
No further relevant information available.

10 Stability and reactivity

- Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

a n

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue				
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES			
07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics			
07 06 01	aqueous washing liquids and mother liquors			

- · Uncleaned packaging:
- $\cdot \textit{Recommendation:} \ \textit{Disposal must be made according to official regulations.}$
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
UN-Number ADR, IMDG, IATA	UN1903
UN proper shipping name ADR	1903 DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N a m i n o p r o p y l) - N - d o d e c y l p r o p a n e - l, 3 - d i a m i Didecylmethylpolyoxyethylammoniumpropionat)
IMDG, IATA	Diaecylmethylpolyoxyethylammoniumpropional) $DISINFECTANT, \ LIQUID, \ CORROSIVE, \ N.O.S. \ (N-aminopropyl)-N-dodecylpropane-1,3-diaminological)$ $Didecylmethylpolyoxyethylammoniumpropionat)$
Transport hazard class(es)	
ADR, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
Packing group ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler): EMS Number:	80 F-A,S-B
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ):	E1
Limited quantities (LQ)	5L

(Contd. on page 7)

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

	(Contd. of page 6)
· Tunnel restriction code	E
· UN "Model Regulation":	UN1903, DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-aminopropyl)-N-dodecylpropane-1, 3-diamine, Didecylmethylpolyoxyethylammoniumpropionat), 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine Didecylmethylpolyoxyethylammoniumpropionat

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

R22 Harmful if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R36 Irritating to eyes.

R50 Very toxic to aquatic organisms.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

(Contd. on page 8)

Printing date 30.09.2013 Revision: 23.09.2013

Trade name: SafeR Instrument lemon

(Contd. of page 7)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

* Data compared to the previous version altered.