Printing date 05.01.2012 Version 2 Revision: 05.01.2012

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Automat SET radioMAT-XR Developer
- · Article number: 9791861
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

· Application of the substance / the preparation

Photochemicals

Developer for X-ray films

Reserved for industrial and professional use.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Distributed by: Distribuido por: Distribue par: Vertrieb durch DE Healthcare Products Gillingham ME8 0SB UK UK 01634878750

Fax +44 (0) 1634 87 87 51

· Informing department:

UK 01634878750

Fax +44 (0) 1634 87 87 51 email: info@cybertechbrand.com

· 1.4 Emergency telephone number:

Emergency No.: Chemtrec US (800) 424-9300

International: 001 703-527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



GHS07

Eve Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R40-68: Limited evidence of a carcinogenic effect. Possible risk of irreversible effects.

Xi; Irritant

R36: Irritating to eyes.

(Contd. on page 2)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

(Contd. of page 1)

Xi; Sensitising

R43: May cause sensitisation by skin contact.

N; Dangerous for the environment

R50: Very toxic to aquatic organisms.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

· 2.2 Label elements

Labelling according to EU guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

· Code letter and hazard designation of product:





Xn Harmful

N Dangerous for the environment

· Hazard-determining components of labelling:

1,4-dihydroxybenzene (hydroquinone)

· Risk phrases:

36 Irritating to eyes.

- 40 Limited evidence of a carcinogenic effect.
- 43 May cause sensitisation by skin contact.
- 50 Very toxic to aquatic organisms.
- 68 Possible risk of irreversible effects.

Safety phrases:

In case of contact with eyes, rinse immediately with plenty of water and seek medical 26 advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

This material and its container must be disposed of as hazardous waste.

Avoid release to the environment. Refer to special instructions/safety data sheets.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 3)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

	(Cc	ontd. of page
· Dangerous compor	nents:	
CAS: 123-31-9 EINECS: 204-617-8	1,4-dihydroxybenzene (hydroquinone) Xn R22-40-68 Xi R41 Xi R43 N R50 Carc. Cat. 3, Muta. Cat. 3 Muta. 2, H341; Carc. 2, H351 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302; Skin Sens. 1, H317	5.0-10%
CAS: 111-46-6 EINECS: 203-872-2	2,2'-oxybisethanol Xn R22 ↑ Acute Tox. 4, H302	2.0-5.0%
CAS: 584-08-7 EINECS: 209-529-3	potassium carbonate Xi R36/37/38 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.0-5.0%
CAS: 10043-35-3 EINECS: 233-139-2	boric acid T Repr. Cat. 2 R60-61 Repr. 1B, H360	2.0-5.0%
CAS: 139-89-9 EINECS: 205-381-9	Hydroxyethylethylenediaminetriacetic acid, trisodium salt, solution Xi R36/38 ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.5-2.0%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one Xn R22 Xi R43 N R51/53 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Skin Sens. 1, H317	0.5-2.0%
·SVHC		
10043-35-3 boric ac	id	

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

- · After swallowing Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed No known symptoms to date.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

(Contd. of page 3)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

Carbon monoxide (CO)

sulphur dioxide (SO2)

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.
- · Additional information The product is not flammable

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:

Inform respective authorities in case product reaches water or sewage system.

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires: The product is not flammable
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in a cool place.

- · Recommended storage temperature: 5-30 °C
- Storage class LGK 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

(Contd. of page 4)

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:	
123-31-9 1,4-dihydroxybenzene (hydroquinone)	
WEL Long-term value: 0.5 mg/m³	
111-46-6 2,2'-oxybisethanol	
WEL Long-term value: 101 mg/m ³ , 23 ppm	

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

· Breathing equipment: Not required.

· Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

waterial of gloves				
	Thickness (mm)	Breakthrough time (min)		
Nitril rubber	0,38	> 480		
Neoprene	0,65	> 240		
Butyl rubber	0.36	> 480		

Penetration time of glove material

Value for permeation: Level \geq 6 (480 min)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

 \geq 3 (60 min)

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye protection: Safety glasses
- · **Body protection:** Protective work clothing.

GB

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

(Contd. of page 5)

SECTION 9: Physical and cher	mical properties	
9.1 Information on basic physical and chemical properties		
General Information		
· Appearance: Form:	Fluid	
Colour:	Colourless	
Coloui.	Clear	
· Odour:	Not characteristic	
· Odour threshold:	Not determined.	
· pH-value at 25°C:	10.3	
· Change in condition		
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	> 100℃	
· Flash point:	Not applicable	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
· Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20℃:	23 hPa	
Density at 20 ℃	1.275 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	miscible	
Segregation coefficient (n-octanol/w	vater): Not determined.	
· Viscosity:		
dynamic:	Not determined	
kinematic:	Not determined	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong acids

Reacts with acids releasing sulphur dioxide

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

(Contd. of page 6)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

. I D/I C50 v	values that a	ro rolovant for	classification

123-31-9 1,4-dihydroxybenzene (hydroguinone)

Oral LD50 320 mg/kg (rat)
Dermal LD50 >900 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritant effect.
- · Sensitization: Sensitization possible by skin contact.
- · Additional toxicological information:

Hydroquinone has been included in the German "TRGS 905" (Technical Rules for Dangerous Substances/Index of carcinogen and mutagen substances or substances dangerous to reproductive systems), and has been classified as "Category 3" of carcinogen and mutagen substances (3 = category of lowest dangerousness). The according EU committees have not yet evaluated this classification.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Irritant

This statement was deduced from the properties of the single components.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Limited evidence of a carcinogenic effect.

Possible risk of irreversible effects.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Not determined
- 12.2 Persistence and degradability Not determined
- · 12.3 Bioaccumulative potential Not determined
- · Behaviour in environmental systems: Not determined
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:

HYDROQUINONE

toxicity to fish (LC50): 0,044 mg/l/96 h (Pimephales promelas)

toxicity to daphnia (EC50): 0,29 mg/l/48 h (Daphnia magna)

toxicity to algae (IC50) 0,335 mg/l/72 h (Selenastrum capricornutum)

- · Remark: Very toxic for fish
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.

At present there are no ecotoxicological assessments.

The product does not contain organically bounded halogens (AOX-free).

(Contd. on page 8)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

(Contd. of page 7)

This statement was deduced from the properties of the single components.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue

09 01 01* water-based developer and activator solutions

- · Uncleaned packagings:
- Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN-Number ADR, IMDG, IATA	UN 3082
14.2 UN proper shipping name ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-
IMDG, IATA	dihydroxybenzene (hydroquinone)) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

	(Contd. of page
· 14.5 Environmental hazards: · Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· Kemler Number: · EMS Number:	90 F-A,S-F
· 14.7 Transport in bulk according to Ann of MARPOL73/78 and the IBC Code	nex II Not applicable.
· Transport/Additional information:	
· ADR · Tunnel restriction code · Remarks:	E "Limited quantity" according to chapter 3.4 ADR
· IMDG · Remarks:	"Limited quantity" according to chapter 3.4 IMDG
· IATA · Remarks:	Packing Instruction PAX / CAO 964
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4- dihydroxybenzene (hydroquinone)), 9, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Designation according to EC guidelines:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

- · National regulations
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Class	Share in %
ı	6.3
NK	4.4

- · Water hazard class: Water danger class 3 (Self-assessment): highly water-endangering.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

(Contd. on page 10)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Developer

		(Contd. of page 9)
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H360	May damage fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
R22	Harmful if swallowed.	
R36/37/38	Irritating to eyes, respiratory system and skin.	
R36/38	Irritating to eyes and skin.	
R40	Limited evidence of a carcinogenic effect.	
R41	Risk of serious damage to eyes.	
R43	May cause sensitisation by skin contact.	
R50	Very toxic to aquatic organisms.	
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the ac environment.	quatic
R60	May impair fertility.	
R61	May cause harm to the unborn child.	
R68	Possible risk of irreversible effects.	
· Recomme	ended restriction of use No public product, only for commercial use	

Recommended restriction of use No public product, only for commercial use

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Sources

applicable EEC directives:

- 1999/45
- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

· * Data compared to the previous version altered.

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Automat SET radioMAT-XR Fixer
- · Article number: 9791861
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

· Application of the substance / the preparation

Photochemicals

Fixing agent for X-ray films

Reserved for industrial and professional use.

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Distributed by: Distribuido por: Distribue par: Vertrieb durch DE Healthcare Products Gillingham ME8 0SB UK UK 01634878750 Fax +44 (0) 1634 87 87 51

· Informing department:

UK 01634878750

Fax +44 (0) 1634 87 87 51 email: info@cybertechbrand.com

1.4 Emergency telephone number:

Emergency No.: Chemtrec US (800) 424-9300

International: 001 703-527-3887

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Void
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- · 2.2 Label elements
- · Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Fixer

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 10043-01-3

aluminium sulphate

2.0-5.0%

EINECS: 233-135-0

🗶 Xi R41

Eye Dam. 1, H318

• Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information Instantly remove any clothing soiled by the product.
- · After inhalation Supply fresh air.
- · After skin contact The product is not skin irritating.
- · After eye contact

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No known symptoms to date.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire

sulphur dioxide (SO2)

Nitrogen oxides (NOx)

- 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

Do not inhale explosion gases or combustion gases.

· Additional information The product is not flammable

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Fixer

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions necessary if used correctly.
- · Information about protection against explosions and fires:

No special measures required.

The product is not flammable

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in a cool place.

None.

- · Recommended storage temperature: 5-30 °C
- · Storage class LGK 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · 8.1 Control parameters
- \cdot Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

- · Breathing equipment: Not required.
- · Protection of hands:

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/ EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Material of gloves Synthetic gloves
- · Penetration time of glove material

Value for permeation: Level \geq 6 (480 min)

(Contd. on page 4)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Fixer

(Contd. of page 3)

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

· As protection from splashes gloves made of the following materials are suitable:

Synthetic gloves

Value for permeation: Level:

 \geq 3 (60 min)

- · Not suitable are gloves made of the following materials: Natural rubber, NR
- · Eye protection: Safety glasses

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid Colourless
Odour: Not characteristic

• **pH-value at 25 °C:** 5.1

· Change in condition

Melting point/Melting range: $< 5 ^{\circ}$ C Boiling point/Boiling range: $> 100 ^{\circ}$ C

· Flash point: Not applicable

Self-inflammability: Product is not selfigniting.
 Danger of explosion: Product is not explosive.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C 1.31 g/cm³

· Solubility in / Miscibility with

Water: miscible

· Viscosity:

dynamic: Not determined **kinematic:** Not determined

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with strong acids and alkali

Reacts with acids releasing sulphur dioxide

Reacts with alkalis releasing ammonia

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 5)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Fixer

(Contd. of page 4)

• 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritant effect.
- · Sensitization: No sensitizing effect known.
- · Subacute to chronic toxicity: No known symptoms to date.
- · Additional toxicological information:

This statement was deduced from the properties of the single components.

The product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Not determined
- · 12.2 Persistence and degradability Not determined
- · 12.3 Bioaccumulative potential Not determined
- · Behaviour in environmental systems: Not determined
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects: Not determined
- · Behaviour in sewage processing plants: Not determined
- · Additional ecological information:
- · General notes:

At present there are no ecotoxicological assessments.

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering. According to the criteria of the EU-classification and labelling "dangerous for environment" (1999/45/EG) the substance/ the product has to be classified as non-hazardous for the environment.

The product does not contain organically bounded halogens (AOX-free).

This statement was deduced from the properties of the single components.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

(Contd. on page 6)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Fixer

(Contd. of page 5)

· European waste catalogue

09 01 04* fixer solutions

- · Uncleaned packagings:
- · Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	Void Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to Anne of MARPOL73/78 and the IBC Code 	ex II Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	-	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

Printing date 05.01.2012 Version 2 Revision: 05.01.2012

Trade name: Automat SET radioMAT-XR Fixer

(Contd. of page 6)

· Relevant phrases

H318 Causes serious eye damage.

R41 Risk of serious damage to eyes.

· Recommended restriction of use No public product, only for commercial use

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

· Sources

applicable EEC directives:

- 1999/45
- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp

· * Data compared to the previous version altered.

~ D