Printing date 04.02.2015

Version 1

f the substance/mixture and	of the company/undertaking
the substance or mixture and un formation about the identified use safety data sheet.	
the mixture ssional use.	
e safety data sheet	
n ber: 300) 424-9300	
ication	
ance or mixture gulation (EC) No 1272/2008 ording to the CLP regulation.	
ective 67/548/EEC or Directive - Jar hazards for human and env labelled due to the calculation pro rations of the EU" in the latest val urrent EC lists. It is expanded, how ation furnished by supplier compa	vironment: ocedure of the "General lid version. wever, by information from
tion (EC) No 1272/2008 Void quest. ssment	
	the substance or mixture and the identified us safety data sheet. the mixture ssional use. e safety data sheet ber: 100) 424-9300 ication ication ince or mixture gulation (EC) No 1272/2008 ording to the CLP regulation. ective 67/548/EEC or Directive Ilar hazards for human and environmentation pro- rations of the EU" in the latest value urrent EC lists. It is expanded, ho ation furnished by supplier compa- tion (EC) No 1272/2008 Void urrent EC lists. It is expanded, ho ation furnished by supplier compa- tion (EC) No 1272/2008 Void

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

⁻ GB -

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

Trade name: DE Fixer 2 x 5 litres dose

		(Contd. of page
 Dangerous components: 		
CAS: 64-19-7 EINECS: 200-580-7 Index number: 607-002-00-6 Reg.nr.: 01-2119475328-30-xxxx	acetic acid C R35 R10 Flam. Liq. 3, H226 Skin Corr. 1A, H314	0.5-2.0%
CAS: 12179-04-3 EINECS: 215-540-4 Index number: 005-011-02-9	disodium tetraborate pentahydrate T Repr. Cat. 2 R60-61 Repr. 1B, H360FD	< 1.0%
CAS: 7783-18-8 EINECS: 231-982-0 Reg.nr.: 01-2119537325-41-xxxx	ammonium thiosulphate	10-15%

12179-04-3 disodium tetraborate pentahydrate

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Personal protection for the First Aider. Instantly remove any clothing soiled by the product.

· After inhalation Supply fresh air.

• After skin contact Instantly wash with water and soap and rinse thoroughly.

The product is not skin irritating.

• After eye contact Piece apared ave for soveral minutes under running water (> 15 min). Then con

Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water. In case of persistent symptoms consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No known symptoms to date.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.

• 5.2 Special hazards arising from the substance or mixture Can be released in case of fire

sulphur dioxide (SO2) Nitrogen oxides (NOx)

• 5.3 Advice for firefighters

· Protective equipment:

Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

GB

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

(Contd. of page 2)

Trade name: DE Fixer 2 x 5 litres dose

Put on breathing apparatus.

 \cdot Additional information The product is not flammable

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. • 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.
- 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

· Information about protection against explosions and fires:

No special measures required.

The product is not flammable

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: No special requirements.

• Information about storage in one common storage facility: Keep away from foodstuffs, beverages and food.

• Further information about storage conditions: Store in a cool place.

· Recommended storage temperature: 5-25 ℃

· Storage class

LGK 12

(German Technical Rule for Hazardous Substance - TRGS 510)

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures The usual precautionary measures should be adhered to general rules for handling chemicals.
- · Breathing equipment: Not required.

· Protection of hands:

Protective gloves. The glove material has to be impermeable and resistant to the product/ the substance/ the

preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Synthetic gloves

(Contd. on page 4)

ĠВ

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

Trade name: DE Fixer 2 x 5 litres dose

 (Contd. of page 3) Avoid natural rubber gloves. Penetration time of glove material Value for permeation: Level ≤ 6 (480 min) The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. As protection from splashes gloves made of the following materials are suitable: Synthetic gloves Value for permeation: Level: ≥ 3 (60 min) Eye protection: Safety glasses 		
 Body protection: Protective w 	ork clothing.	
SECTION 9: Physical and o	chemical properties	
 9.1 Information on basic physical General Information Appearance: Form: Colour: Odour: 	sical and chemical properties Fluid Colourless Nearly odourless	
· pH-value at 25 °C:	4.4	
 Change in condition Melting point/Melting range Boiling point/Boiling range 		
· Flash point:	Not applicable	
· Self-inflammability:	Product is not selfigniting.	
· Danger of explosion:	Product is not explosive.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C	1.09 g/cm ³	
 Solubility in / Miscibility with Water: 	miscible	
 Viscosity: dynamic: kinematic: 	Not determined Not determined	
 Solvent content: Organic solvents: Water: 	0 % ~ 82 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity

10.2 Chemical stability
 Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

⁻ GB

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

Trade name: DE Fixer 2 x 5 litres dose

- **10.3 Possibility of hazardous reactions** Reacts with strong acids and alkali Reacts with acids releasing sulphur dioxide Reacts with alkalis releasing ammonia
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** Sulphur dioxide Ammonia

N 11: Tox	icological information		
 11.1 Information on toxicological effects Acute toxicity: 			
· LD/LC50 values that are relevant for classification:			
' sodium s	sulphite		
LD50	2610 mg/kg (rat)		
LC50/4 h	> 5.5 mg/l (rat)		
64-19-7 acetic acid			
LD50	3310 mg/kg (rat)		
LD50	1060 mg/kg (rabbit)		
12179-04-3 disodium tetraborate pentahydrate			
LD50	2660 mg/kg (rat)		
7783-18-8 ammonium thiosulphate			
LD50	1098 mg/kg (gpg)		
	2890 mg/kg (rat)		
	mation or icity: values tha sodium s LD50 LC50/4 h cetic acid LD50 LD50 3 disodiu LD50 ammoniu		

· Primary irritant effect:

40 4 T

- on the skin: No irritant effect.
- · on the eye: Irritant effect.
- · Sensitisation: No sensitizing effect known.
- · Subacute to chronic toxicity: No known symptoms to date.
- · Additional toxicological information:

This statement was deduced from the properties of the single components. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

· 12.1 Toxicity		
• Aquatic toxicity:		
7757-83-7 sodium	n sulphite	
EC50/48 h (static)	59 mg/l (Daphnia magna)	
LC50/96 h (static)	316 mg/l (fish)	
64-19-7 acetic aci	d	
LC50/96 h	75 mg/l (Lepomis macrochirus)	
	12.2 Persistence and degradability Not determined 12.3 Bioaccumulative potential Not determined	
Behaviour in environmental systems: Not determined (Contd. on page		(Contd. on page 6)

(Contd. of page 4)

GB

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

(Contd. of page 5)

GB

Trade name: DE Fixer 2 x 5 litres dose

· 12.4 Mobility in soil No further relevant information available.

· Ecotoxical effects: No further relevant information available.

· Behaviour in sewage processing plants: Not determined

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering. The product does not contain organically bounded halogens (AOX-free).

At present there are no ecotoxicological assessments.

- This statement was deduced from the properties of the single components.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· European waste catalogue

09 01 04* fixer solutions

· Uncleaned packagings:

· Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product. EAK-No. 15 01 10

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	ı	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR	Void	
· ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
		(Contd. on page 7

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

Trade name: DE Fixer 2 x 5 litres dose

	(Contd. of page 6)
 14.7 Transport in bulk according to Ann of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Class	Share in %
11	1.9

· Water hazard class: Water hazard class 1 (Self-assessment): weakly water-endangering.

· Other regulations, limitations and prohibitive regulations

• Substances of very high concern (SVHC) according to REACH, Article 57

12179-04-3 disodium tetraborate pentahydrate

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H360FD May damage fertility. May damage the unborn child.

- R10 Flammable.
- R35 Causes severe burns.
- R60 May impair fertility.
- R61 May cause harm to the unborn child.

· Recommended restriction of use No public product, only for commercial use

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Repr. 1B: Reproductive toxicity, Hazard Category 1B

(Contd. on page 8)

GB

Printing date 04.02.2015

Version 1

Revision: 04.02.2015

Trade name: DE Fixer 2 x 5 litres dose

(Contd. of page 7)

 Sources

 applicable EEC directives:
 1999/45
 1907/2006
 1272/2008

 Internal physical tests, MSDS of the ingredients, Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp